



Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 1 of 10

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Asphalt STUFFF™**

Product Code(s) : AS-20L-1; AS-204L-1; AS-1000L-1

Recommended use of the chemical and restrictions on use

: Asphalt release agent.
Restrictions on use: Not available.

Chemical family : Fatty acid ester

Name, address, and telephone number of the manufacturer:

STUFFF Lubricants Inc.

2240 F & G Line Road
Richards Landing, ON, Canada
P0R 1J0

Manufacturer's Telephone # : (877) 578-8333, ext. 103 (Toll Free)

24 Hr. Emergency Tel # : Not available.

Name, address, and telephone number of the supplier:

Refer to manufacturer

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Light yellow liquid. Faint odor of fatty substance.

Most important hazards:

Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Label elements

Hazard pictogram(s)

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

Signal Word

None required under U.S. OSHA HazCom 2012 and Canadian WHMIS 2015 regulations.

Hazard statement(s)

None required under U.S. OSHA HazCom 2012 and Canadian WHMIS 2015 regulations.

Precautionary statement(s)

None required under U.S. OSHA HazCom 2012 and Canadian WHMIS 2015 regulations.

Other hazards

Other hazards which do not result in classification:

Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded. Toxic fumes may be released during a fire. May be mildly irritating to skin, eyes and respiratory system. May cause gastrointestinal irritation.

Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 2 of 10

SAFETY DATA SHEET

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
No hazardous ingredients above concentration cut-offs	N/Ap	N/Ap	100.0%

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person. If symptoms develop, seek medical attention.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stops, provide artificial respiration. If irritation or symptoms develop, seek medical attention.
- Skin contact* : For skin contact, wash with soap and water while removing contaminated clothing. If irritation or symptoms develop, seek medical attention. Launder clothing before reuse.
- Eye contact* : Rinse immediately with plenty of water, also under the eyelids. If irritation or symptoms develop, seek medical attention.

Most important symptoms and effects, both acute and delayed

- : May be mildly irritating to skin, eyes and respiratory system. May cause coughing and breathing difficulties. Exposure may cause temporary irritation, redness or discomfort. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Carbon dioxide (CO₂); Dry chemical; Alcohol resistant foam; Water fog.

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Not considered flammable. However, may burn if exposed to extreme heat and flame. Vapors are heavier than air and may spread along floors. Material will float on water and can be re-ignited at the water's surface. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded.

Flammability classification (OSHA 29 CFR 1910.106)

- : Not classified as flammable.

Hazardous combustion products

- : Carbon oxides; Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 3 of 10

SAFETY DATA SHEET

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains, sewers, waterways and soil.

Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities. . Refer to Section 13 for disposal of contaminated material.

Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): None reportable.

In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame.
Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded. In order to prevent the risk of fire, good housekeeping standards must be maintained and the accumulation of residues on contaminated rags, etc. should be avoided. Store wiping rags containing this product in metal containers with tight lids. After use, put rags in water or lay flat to dry, then discard. Keep away from incompatibles. Keep container tightly closed when not in use. Wash thoroughly after handling.

Conditions for safe storage : Store in cool/well-ventilated place. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Keep away from incompatibles.

Incompatible materials : Strong oxidizing agents



Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 4 of 10

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
No hazardous ingredients above concentration cut-offs	N/Ap	N/Ap	N/Ap	N/Ap

Exposure controls

Ventilation and engineering measures

- : Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

- : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

Skin protection

- : Gloves impervious to the material are recommended. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Wear apron or protective clothing in case of contact.

Eye / face protection

- : Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields.

Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations

- : Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Light yellow liquid.
- Odor** : Faint odor of fatty substance.
- Odor threshold** : N/Av
- pH** : 10.0 (approximately)
- Melting/Freezing point** : Melting point: N/Av
Freezing point: N/Av
- Initial boiling point and boiling range** : 280°C (536°F)
- Flash point** : > 130°C (266°F)
- Flashpoint (Method)** : ASTM D93
- Evaporation rate (BuAe = 1)** : N/Av
- Flammability (solid, gas)** : Not applicable.
- Lower flammable limit (% by vol.)** : N/Av
- Upper flammable limit (% by vol.)** : N/Av
- Oxidizing properties** : No oxidizing properties.
- Explosive properties** : Not explosive

Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 5 of 10

SAFETY DATA SHEET

Vapor pressure : N/Av
Vapor density : > 1 (Air = 1.0)
Relative density / Specific gravity : Relative density: 880 kg/m³ (7.34 lbs/gal)
Specific Gravity: 0.88
Solubility in water : Insoluble.
Other solubility(ies) : N/Av
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution : N/Av
Auto-ignition temperature : N/Av
Decomposition temperature : N/Av
Viscosity : N/Av
Volatiles (% by weight) : N/Av
Volatile organic Compounds (VOC's) : N/Av
Absolute pressure of container : N/Av
Flame projection length : N/Av
Other physical/chemical comments : No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded. Refer to Section 7, HANDLING AND STORAGE, for additional information.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerization does not occur.

Conditions to avoid : Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Keep away from extreme heat and flame.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Not available.
In the event of fire: Refer also to hazardous combustion products, Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption : NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation : Mild respiratory irritant. May cause coughing and breathing difficulties.



Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 6 of 10

SAFETY DATA SHEET

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sign and symptoms skin

: May cause mild skin irritation. Exposure may cause temporary irritation, redness or discomfort.

Sign and symptoms eyes

: Direct eye contact may cause slight or mild, transient irritation. Exposure may cause temporary irritation, redness or discomfort.

Potential Chronic Health Effects

: Prolonged or repeated skin exposure may cause redness, a burning sensation, drying and cracking of the skin (dermatitis).

Mutagenicity

: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

: Not classifiable as a human carcinogen. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material

: No data available to indicate product or components may be skin sensitizers.
 No data available to indicate product or components may be respiratory sensitizers.

Specific target organ effects

: According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: None known or reported by the manufacturer.

Toxicological data

: Not classified for acute toxicity based on available data. No data is available on the product itself.

See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	LC₅₀ (4hr)	LD₅₀	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
No hazardous ingredients above concentration cut-offs	N/Ap	N/Ap	N/Ap

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Persistence and degradability

: The product itself has not been tested.

Bioaccumulation potential

: The product itself has not been tested.

Mobility in soil

: The product itself has not been tested.

Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 7 of 10

SAFETY DATA SHEET





Other Adverse Environmental effects

- : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. DISPOSAL CONSIDERATIONS

- Handling for Disposal** : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.
- Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local regulations.
- RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None.	Not regulated.	Not regulated	None	
TDG Additional information	None.				
49CFR/DOT	None.	Not regulated.	Not regulated	None	
49CFR/DOT Additional information	None.				
ICAO/IATA	None.	Not regulated.	Not regulated	None	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	Not regulated	None	
IMDG Additional information	None.				

- Special precautions for user** : Appropriate advice on safety must accompany the package.
- Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.
- Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not applicable.



Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 8 of 10

SAFETY DATA SHEET

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
No hazardous ingredients above concentration cut-offs	N/Ap	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes:
None.

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
No hazardous ingredients above concentration cut-offs	N/Ap	No	N/Ap	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product does not contain any substances listed on the NPRI.

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
No hazardous ingredients above concentration cut-offs	N/Ap	Not specifically listed (Components)	Not specifically listed (Components)	Not specifically listed (Components)	Not specifically listed (Components)	Not specifically listed (Components)	Present (Components)	Not specifically listed (Components)

SECTION 16. OTHER INFORMATION

Legend

- : ACGIH: American Conference of Governmental Industrial Hygienists
- AICS: Australian Inventory of Chemical Substances
- CAS: Chemical Abstract Services
- CSA: Canadian Standards Association

Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 9 of 10

SAFETY DATA SHEET

EC50: Effective Concentration 50%
EINECS: European Inventory of Existing Commercial chemical Substances
ENCS: Existing and New Chemical Substances
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IBC: Intermediate Bulk Container
IECSC: Inventory of Existing Chemical Substances
IMDG: International Maritime Dangerous Goods
IOC: Inventory of Chemicals
KECI: Korean Existing Chemicals Inventory
KECL: Korean Existing Chemicals List
LC: Lethal Concentration
LD: Lethal Dose
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NOEC: No observable effect concentration
NTP: National Toxicology Program
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
PICCS: Philippine Inventory of Chemicals and Chemical Substances
RTECS: Registry of Toxic Effects of Chemical Substances
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.
 2. International Agency for Research on Cancer Monographs, searched 2019.
 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2019 (Chempendium, HSDB and RTECs).
 4. Safety Data Sheets from manufacturer.
 5. US EPA Title III List of Lists - March 2015 version.
 6. California Proposition 65 List - March 8, 2019 version.
 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2019.

Preparation Date (mm/dd/yyyy)

: 04/06/2018

Reviewed Date SDS (dd/mm/yyyy)

: 07/04/2019

Revision No.

: 2

Revision Information

: All sections modified.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.



STUFFF Lubricants Inc.
2240 F & G Line Road
Richards Landing, ON, Canada, P0R 1J0
Telephone: (877) 578-8333, ext. 103 (Toll Free)

Asphalt STUFFF™

AS-20L-1; AS-204L-1; AS-1000L-1

SDS Revision Date (mm/dd/yyyy): 04/07/2019

Page 10 of 10

SAFETY DATA SHEET

<p>Prepared for: STUFFF Lubricants Inc. 2240 F & G Line Road Richards Landing, ON, Canada, P0R 1J0 Telephone: (877) 578-8333, ext. 101 Direct all enquiries to: STUFFF Lubricants Inc.</p>	
<p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by STUFFF Lubricants Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and STUFFF Lubricants Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and STUFFF Lubricants Inc.

END OF DOCUMENT