



STUFFF Lubricants Inc.
2240 F & G Line Road
Richards Landing, ON, Canada, P0R 1J0
Telephone: (877) 578 8333 Ext 101

Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Shop STUFFF™**

Other means of identification : Not applicable.

Recommended use of the chemical and restrictions on use

: High performance penetrating oil, lubricant and moisture dispersant. For use on any metal application.
Restrictions on use: Not available.

Chemical family : Mixture of: Fatty acid ester; Cyclic terpene; Primary alkyl alcohol

Name, address, and telephone number of the manufacturer:

STUFFF Lubricants Inc.

2240 F & G Line Road
Richards Landing, ON, Canada
P0R 1J0

Manufacturer's Telephone # : (877) 578-8333, ext. 103 (Toll Free)

24 Hr. Emergency Tel # : Not available.

Name, address, and telephone number of the supplier:

Refer to manufacturer

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear to yellow liquid. Mild citrus odor.

Most important hazards:

May cause an allergic skin reaction. Suspected of damaging the unborn child. Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

Harmful to aquatic life with long lasting effects. Avoid release to the environment. See Section 12 for more environmental information.

This product is packaged and sold as a consumer product. The below WHMIS 2015 and US OSHA Hazcom 2012 classification and labeling information is being provided for informational purposes.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Skin sensitization - Category 1

Reproductive toxicity - Category 2

Label elements

Hazard pictogram(s)



Signal Word

Warning

Hazard statement(s)

May cause an allergic skin reaction.

Suspected of damaging the unborn child.



Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 2 of 11

SAFETY DATA SHEET

Precautionary statement(s)

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing mist or vapours.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/clothing and eye/face protection.

IF exposed or concerned: Get medical advice/attention.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded. Toxic fumes may be released during a fire. May be mildly irritating to skin, eyes and respiratory system. In extremely high concentrations, may cause symptoms of central nervous system depression. May cause gastrointestinal irritation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Methanol	Carbinol Methyl alcohol Methyl hydrate	67-56-1	1.00
Orange oil	Not applicable.	8028-48-6	1.00

The remaining ingredients are either non-hazardous or are below reportable thresholds.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stops, provide artificial respiration. IF exposed or concerned: Get medical advice/attention.
- Skin contact* : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
- Eye contact* : Rinse immediately with plenty of water, also under the eyelids. IF exposed or concerned: Get medical advice/attention.



Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 3 of 11

SAFETY DATA SHEET

Most important symptoms and effects, both acute and delayed

- : May cause severe skin sensitization with allergic contact dermatitis symptoms such as swelling, rash and eczema.
- Suspected of damaging the unborn child. Symptoms may include malformations (e.g. cleft palate, exencephaly, skeletal anomalies), increased fetal resorptions, and decreased numbers of live fetuses.
- May be mildly irritating to skin, eyes and respiratory system. May cause coughing and breathing difficulties. Exposure may cause temporary irritation, redness or discomfort.
- In extremely high concentrations, may also cause nausea, vomiting, dizziness, drowsiness and other symptoms of central nervous system depression.
- Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically.
- Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Carbon dioxide (CO₂); Dry chemical; Alcohol resistant foam; Water fog .

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Not considered flammable. However, may burn if exposed to extreme heat and flame. Vapors are heavier than air and may spread along floors. Material will float on water and can be re-ignited at the water's surface. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.
- Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded.

Flammability classification (OSHA 29 CFR 1910.106)

- : Not flammable.

Hazardous combustion products

- : Carbon oxides; Aldehydes; Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains, sewers, waterways and soil. Avoid release to the environment.



Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 4 of 11

SAFETY DATA SHEET

Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand). Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

Refer to Section 13 for disposal of contaminated material.

Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the National Response Center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): None reportable.

In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Use with adequate ventilation. Wear suitable protective equipment during handling. Wear protective gloves/clothing and eye/face protection. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame.

Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded. In order to prevent the risk of fire, good housekeeping standards must be maintained and the accumulation of residues on contaminated rags, etc. should be avoided. Store wiping rags containing this product in metal containers with tight lids. After use, put rags in water or lay flat to dry, then discard.

Keep away from incompatibles. Keep container tightly closed when not in use. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

- Conditions for safe storage** : Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Keep away from incompatibles.

- Incompatible materials** : Strong oxidizing agents; Reactive metals; Strong acids

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Methanol	200 ppm (skin)	250 ppm (skin)	200 ppm (260 mg/m ³)	N/Av
Orange oil	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures



Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 5 of 11

SAFETY DATA SHEET

- Respiratory protection** : Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.
- Respiratory protection** : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.
- Skin protection** : Wear protective gloves/clothing. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Wear as appropriate: PVC. Wear apron or protective clothing in case of contact.
- Eye / face protection** : Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields. A full face shield may also be necessary.
- Other protective equipment** : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.
- General hygiene considerations** : Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Contaminated work clothing must not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical State** : Liquid.
- Colour** : Clear to yellow
- Odour** : Mild citrus odor.
- Odour threshold** : N/Av
- pH** : N/Av
- Melting Point/Freezing point** : Freezing point: - 10°C (14°F)
Melting point: N/Av
- Initial boiling point and boiling range** : 280°C (536°F)
- Flash point** : 166°C (331°F)
- Flashpoint (Method)** : ASTM D93
- Evaporation rate (BuAe = 1)** : N/Av
- Flammability** : N/Av
- Lower explosion or flammability limit (% by vol.)** : N/Av
- Upper explosion or flammability limit (% by vol.)** : N/Av
- Oxidizing properties** : No oxidizing properties.
- Explosive properties** : Not explosive
- Vapour pressure** : N/Av
- Relative vapour density** : > 1 (Air = 1.0)
- Relative density / Specific gravity** : Relative density: 1200 kg/m°C (10 lbs/gal)
Specific Gravity: 1.2
- Solubility in water** : Insoluble.
- Other solubility(ies)** : N/Av
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : N/Av
- Auto-ignition temperature** : N/Av
- Decomposition temperature** : N/Av



Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 6 of 11

SAFETY DATA SHEET

Viscosity : N/Av
Particle characteristics : N/Av
Volatiles (% by weight) : N/Av
Volatile organic Compounds (VOC's) : N/Av
Absolute pressure of container : N/Av
Flame projection length : N/Av
Other physical/chemical comments : No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Risk for spontaneous combustion if substantial quantities of product are left on porous organic materials (cotton waste or rag). Used rags or other cleaning materials may begin to burn by themselves if improperly discarded. Refer to Section 7, HANDLING AND STORAGE, for additional information.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerization does not occur.

Conditions to avoid : Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Keep away from extreme heat and flame.

Incompatible materials : Strong oxidizing agents; Reactive metals; Strong acids

Hazardous decomposition products : Not available.
In the event of fire: Refer also to hazardous combustion products, Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption : YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: Mild respiratory irritant May cause coughing and breathing difficulties. In extremely high concentrations, may also cause nausea, vomiting, dizziness, drowsiness and other symptoms of central nervous system depression.

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

Sign and symptoms skin

: May cause mild skin irritation. Exposure may cause temporary irritation, redness or discomfort. Can be absorbed through skin.

Sign and symptoms eyes

: Direct eye contact may cause slight or mild, transient irritation. Exposure may cause temporary irritation, redness or discomfort.



STUFFF Lubricants Inc.
2240 F & G Line Road
Richards Landing, ON, Canada, P0R 1J0
Telephone: (877) 578 8333 Ext 101

Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 7 of 11

SAFETY DATA SHEET

Potential Chronic Health Effects

- : Prolonged or repeated skin exposure may cause redness, a burning sensation, drying and cracking of the skin (dermatitis).

Mutagenicity

- : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

- : Not classifiable as a human carcinogen. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

- : Suspected of damaging the unborn child.
Contains: Methanol. Methanol has been shown to produce fetotoxicity in the embryo or fetus in laboratory animals. Symptoms may include malformations (e.g. cleft palate, exencephaly, skeletal anomalies), increased fetal resorptions, and decreased numbers of live fetuses.

Sensitization to material

- : May cause an allergic skin reaction. Contains: Orange Oil. May cause severe skin sensitization with allergic contact dermatitis symptoms such as swelling, rash and eczema.

Specific target organ effects

- : No data available to indicate product or components may be respiratory sensitizers.
According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Medical conditions aggravated by overexposure

- : Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials

- : None known or reported by the manufacturer.

Toxicological data

- : Not classified for acute toxicity based on available data. No data is available on the product itself. The calculated ATE values for this mixture are:

ATE oral = > 35,714 mg/kg

ATE dermal = > 46,786 mg/kg

ATE inhalation (vapours) = > 488 mg/L/4H

See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Methanol	> 5000 ppm/6H (4.1 mg/L/4H (vapour)	5628 mg/kg (rat) The estimated human lethal dose is: 300 - 1000 mg/kg	> 393 mg/kg (Monkey) 15 800 mg/kg (rabbit)
Orange oil	N/Av	>5000 mg/kg	>5000 mg/kg

Other important toxicological hazards

- : None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

- : Harmful to aquatic life with long lasting effects. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains the following substances which are hazardous for the environment: Orange oil.

See the following tables for individual ingredient ecotoxicity data.



Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 8 of 11

SAFETY DATA SHEET

Ecotoxicity data:

<u>Ingredients</u>	CAS #	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Methanol	67-56-1	15 400 mg/L (Bluegill sunfish)	446.7 mg/L/28-day (Fathead minnow) (QSAR)	None.
Orange oil	8028-48-6	N/Av	N/Av	N/Av

<u>Ingredients</u>	CAS #	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Methanol	67-56-1	> 10 000 mg/L (Daphnia magna)	208 mg/L (QSAR)	None.
Orange oil	8028-48-6	N/Av	N/Av	N/Av

<u>Ingredients</u>	CAS #	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Methanol	67-56-1	22 000 mg/L/96hr (Green algae)	N/Av	None.
Orange oil	8028-48-6	N/Av	N/Av	N/Av

Persistence and degradability

- : The product itself has not been tested.
The following ingredients are considered to be readily biodegradable: Orange oil; Methanol.

Bioaccumulation potential

- : The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Methanol (CAS 67-56-1)	- 0.82 to - 0.64	< 10 (common carp)

Mobility in soil

- : The product itself has not been tested.

Other Adverse Environmental effects

- : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

- : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue and can be dangerous. Follow labeled warnings even after container is emptied.

Methods of Disposal

- : Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

- : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.



STUFFF Lubricants Inc.
2240 F & G Line Road
Richards Landing, ON, Canada, P0R 1J0
Telephone: (877) 578 8333 Ext 101

Shop STUFFF™





SDS Revision Date (mm/dd/yyyy): 10/02/2023

SS-1G-1; SS-5G-1

Page 9 of 11

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	
49CFR/DOT Additional information	None.				
TDG	None.	Not regulated.	not regulated	none	
TDG Additional information	None.				
ICAO/IATA	None.	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	
IMDG Additional information	None.				

Special precautions for user : Appropriate advice on safety must accompany the package.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	de Minimis Concentration
Methanol	67-56-1	Yes	5000 lbs / 2270 kg	None.	Yes	1%
Orange oil	8028-48-6	NL	N/Ap	N/Av	No	NS

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes:

Health hazards (Skin sensitization; Reproductive toxicity)

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.



STUFFF Lubricants Inc.
2240 F & G Line Road
Richards Landing, ON, Canada, P0R 1J0
Telephone: (877) 578 8333 Ext 101

Shop STUFFF™

SDS Revision Date (mm/dd/yyyy): 10/02/2023

SS-1G-1; SS-5G-1

Page 10 of 11

SAFETY DATA SHEET

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Methanol	67-56-1	Yes	Developmental	Yes	Yes	Yes	Yes	Yes	Yes
Orange oil	8028-48-6	No	N/Ap	No	No	No	No	No	No

Canadian Information:

All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Methanol	67-56-1	200-659-6	Present	Present	(2)-201	KE-23193	Present	HSR001186
Orange oil	8028-48-6	232-433-8	Present	Present	No information available.	KE-27409	Present	No information available.

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
AIHA: American Industrial Hygiene Association
AICS: Australian Inventory of Chemical Substances
CAS: Chemical Abstract Services
CSA: Canadian Standards Association
EC50: Effective Concentration 50%
EINECS: European Inventory of Existing Commercial chemical Substances
ENCS: Existing and New Chemical Substances
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IBC: Intermediate Bulk Container
IECSC: Inventory of Existing Chemical Substances
IMDG: International Maritime Dangerous Goods
IOC: Inventory of Chemicals
KECI: Korean Existing Chemicals Inventory
KECL: Korean Existing Chemicals List
LC: Lethal Concentration
LD: Lethal Dose
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NOEC: No observable effect concentration
NTP: National Toxicology Program
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
PICCS: Philippine Inventory of Chemicals and Chemical Substances



STUFFF Lubricants Inc.
2240 F & G Line Road
Richards Landing, ON, Canada, P0R 1J0
Telephone: (877) 578 8333 Ext 101

Shop STUFFF™

SS-1G-1; SS-5G-1

SDS Revision Date (mm/dd/yyyy): 10/02/2023

Page 11 of 11

SAFETY DATA SHEET

RTECS: Registry of Toxic Effects of Chemical Substances
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average
WEEL: Workplace Environmental Exposure Level
WHMIS: Workplace Hazardous Materials Identification System

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
 2. ECHA - European Chemical Agency
 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
 4. Safety Data Sheets from manufacturer.
 5. US EPA Title III List of Lists
 6. California Proposition 65 List
 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy)

: 04/05/2019

Reviewed Date SDS (dd/mm/yyyy)

: 02/10/2023

Revision No.

: 2

Revision Information

: Updated SDS to the comply with new 2023 WHMIS format

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p>Prepared for: STUFFF Lubricants Inc. 2240 F & G Line Road Richards Landing, ON, Canada, P0R 1J0 Telephone: (705) 971-2455 Direct all enquiries to: STUFFF Lubricants Inc.</p>	
<p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by STUFFF Lubricants Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and STUFFF Lubricants Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and STUFFF Lubricants Inc.

END OF DOCUMENT